SAFETY DATA SHEET

1. Identification

Product identifier FS	entifier FS PROFORM CONCRETE RELEASE FORM OIL		
Other means of identification None.			
Recommended use Hydraulic oil			
Recommended restrictions None known.			
Manufacturer/Importer/Sup	plier/Distributor		
information Manufacturer			
Company name	GROWMARK INC.		
Address	2200 South Avenue		
	Council Bluffs, IA 51503		
	United States		
Telephone	General Assistance	800-798-6457	
E-mail	Not available.		
Emergency phone numb	per CHEMTREC	800-424-9300	

2. Hazard(s) identification

.,	
Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC		64742-54-7	90 - 100
Distillates (petroleum), solvent-dewaxed heavy paraffinic		64742-65-0	8.75
ALKYL PHENOL		Proprietary	< 0.2
Other components below reportable	levels		1 - < 3

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Ingestion	Rinse with water. Get medical attention if irritation develops and persists. Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the
Environmental precautions	SDS. Avoid discharge into drains, water courses or onto the ground.
7 Hendling and standard	

7. Handling and storage

Precautions for safe handling	Avoid prolonged exposure. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Lii	nits for Air Contaminants (29 CFR 1910.1000)
•	-

Components	Туре	Value	Form
Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0)	PEL	5 mg/m3	Mist.
		2000 mg/m3	
		500 ppm	
US. ACGIH Threshold Limit Val	ues		
Components	Туре	Value	Form
DISTILLATES	TWA	5 mg/m3	Inhalable fraction.
(PETROLEUM),		C C	
HYDROTREATED			
HEAVY PARAFFINIC			

Components	Туре	Value	Form
Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0	TWA)	5 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	Form
Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0	Ceiling	1800 mg/m3	
· ·	STEL	10 mg/m3	Mist.
iological limit values	No biological exposure limits noted for	the ingredient(s).	
nuronvinto onginooving	Cood gonard vantilation (typically 10)	air ahangaa nar haur) ahauld l	ha ugad Vantilatian rataa
ppropriate engineering ontrols	Good general ventilation (typically 10 should be matched to conditions. If ap or other engineering controls to mainta exposure limits have not been establis	plicable, use process enclosu ain airborne levels below reco	ures, local exhaust ventilation mmended exposure limits. If
ontrols	should be matched to conditions. If ap or other engineering controls to mainta	plicable, use process enclosu ain airborne levels below reco hed, maintain airborne levels	ures, local exhaust ventilation mmended exposure limits. If
ontrols	should be matched to conditions. If ap or other engineering controls to mainta exposure limits have not been establis	plicable, use process enclosu ain airborne levels below reco hed, maintain airborne levels nt	ures, local exhaust ventilatior mmended exposure limits. If to an acceptable level.
ndividual protection measure	should be matched to conditions. If ap or other engineering controls to maint exposure limits have not been establis es, such as personal protective equipme	plicable, use process enclosu ain airborne levels below reco hed, maintain airborne levels nt side shields are recommende	ures, local exhaust ventilatior ommended exposure limits. If to an acceptable level. ed.
ndividual protection measure Eye/face protection Skin protection	should be matched to conditions. If ap or other engineering controls to mainta exposure limits have not been establis es, such as personal protective equipme If contact is likely, safety glasses with	plicable, use process enclosu ain airborne levels below reco hed, maintain airborne levels nt side shields are recommende	ures, local exhaust ventilatior ommended exposure limits. If to an acceptable level. ed.
ndividual protection measure Eye/face protection Skin protection Hand protection	should be matched to conditions. If ap or other engineering controls to mainta exposure limits have not been establis es, such as personal protective equipme If contact is likely, safety glasses with For prolonged or repeated skin contact	plicable, use process enclosu ain airborne levels below reco shed, maintain airborne levels nt side shields are recommende ct use suitable protective glove	ures, local exhaust ventilatior ommended exposure limits. If to an acceptable level. ed. es.
ndividual protection measure Eye/face protection Skin protection Hand protection Other	should be matched to conditions. If ap or other engineering controls to mainta exposure limits have not been establis es, such as personal protective equipme If contact is likely, safety glasses with For prolonged or repeated skin contact Wear suitable protective clothing.	plicable, use process enclosu ain airborne levels below reco shed, maintain airborne levels nt side shields are recommende ct use suitable protective glove suitable respiratory equipmer	ures, local exhaust ventilatior ommended exposure limits. If to an acceptable level. ed. es.

9

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling 6 range	80 °F (360 °C) estimated
Flash point	275.0 °F (135.0 °C) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.

Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	500 °F (260 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	7.40 lbs/gal estimated
Explosive properties	Not explosive.
Flammability class	Combustible IIIB estimated
Oxidizing properties	Not oxidizing.
Percent volatile	0.00002 % estimated
Specific gravity	0.89 estimated
VOC (Weight %)	0.00002 % estimated
10. Stability and reactivity	/

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.
Information on toxicological effe	cts
Acute toxicity	Not available.
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.
Respiratory or skin sensitization	
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	
IARC Monographs. Overall E	valuation of Carcinogenicity
Not available.	
OSHA Specifically Regulated Not listed.	I Substances (29 CFR 1910.1001-1050)
US. National Toxicology Prog Not available.	gram (NTP) Report on Carcinogens
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.

Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.
Further information	This product has no known adverse effect on human health.

12. Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.	
Persistence and degradability	No data is available on the degradability of this product.	
Bioaccumulative potential		
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Hazard categories

Superfund Amendments and Reauthorization Act of 1986 (SARA)

	mmediate Hazard - lo Delayed Hazard -
Ν	lo Fire Hazard - No
-	Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

- Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)
 - Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC (CAS 64742-54-7)

Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0)

US. Massachusetts RTK - Substance List

Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0)

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A 'Yes' indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A 'No' indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	09-18-2017
Revision date	09-18-2017
Version #	02

No

Disclaimer	GROWMARK INC. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.
Revision information	Hazard(s) identification: Hazard statement Hazard(s) identification: Disposal Hazard(s) identification: Prevention Hazard(s) identification: Response Hazard(s) identification: Storage First-aid measures: Indication of immediate medical attention and special treatment needed Physical and chemical properties: Oxidizing properties Physical and chemical properties: Explosive properties Toxicological information: Further information Ecological information: Persistence / degradability Regulatory information: US federal regulations Other information, including date of preparation or last revision: Further information GHS: Classification